PRINTED ON WORLD'S BEST SPANISH TECHNOLOGY



































We create land of opportunities cultivate dreams and harvest success....

persistently!

Digital floor tiles

396 x 396mm FLOOR TILES

Company Profile

Ceramic Tiles have been an integral part of mankind since immemorial. They have been a witness to history being unfolded and have to tell that tale. Ceramic tiles have survived the rise and fall of civilisation and with each upheaval have added a new dimension to their properties. Today they are an integrated part of modern living combining the winning qualities of beauty and value for money.

We have united the toughness of ceramic tiles with modern technological advances and customer aspiration to produce a range that is vast in choice. with over 7 years of experience in this field and in depth knowledge of markets both in India and aboard, We have set up a world class integrated production facility to manufacture and supply high quality ceramic tiles The designs, sizes, colours and surface finishes will be made keeping in mind the needs of the Indian consumer. Over the years the company has built a solid customer base and a reputation both for itself and its products. To an extent they have been responsible for changing ceramic tiles from a mere commodity to a branded product. Trust, Quality and reliability have been the watchwords of us and we plan to continue fulfilling the expectation of their vast array of customers. Total customers satisfaction via adoption of Quality Management Systems in all spheres of activity guarantee adherence to predecided standards. The company nurtures each relationship be it with the trade, consumers of suppliers. This has established company as a reliable and trust worthy entity capable of overcoming market challenges.

Just like their historical counterparts, We will be around to witness future market developments and participate in remaking the personality of the humble ceramic tiles.

GLOSSY













7001

7002

7003







7004

7005

7006








7007

7008

7009







7010

RANDOM





7012


























































396mmx396mm

























































































RANDOM | CERAMIC DIGITAL | HIGH PRINTING | PRINT TECHNOLOGY | DEFINITION

























































RANDOM | CERAMIC DIGITAL | HIGH PRINTING | PRINT TECHNOLOGY | DEFINITION








































8531

















































8538

8544



































































RANDOM | CERAMIC DIGITAL | HIGH PRINTING | PRINT TECHNOLOGY | DEFINITION




















































































































RANDOM | CERAMIC DIGITAL | HIGH PRINTING | PRINT TECHNOLOGY | DEFINITION






































































9062





















































































Sr. No.	Property	International Std. ISO 13006/EN 176 Group Bla	OUR VALUE	
1.	Deviation in Length	± 0.5%	± 0.4%	
2.	Deviation in Thickness	± 5%	± 3%	
3.	Straightness of Sides	± 0.5%	± 0.5%	
4.	Rectangularity	±0.6%	±0.4%	
5.	Surface flatness	± 0.5%	± 0.2%	
6.	Water Absorption*	± 3.6%	± 3.6%	
7.	Bending Strength	> = 220Kgs/cm²	> = 270Kgs/cm ²	
8.	Chemical Resistance	Resistance to all alkalies	Resistance to all alkalies	
		(Except Hydro flouric acid	(Except Hydro flouric acid	
		and its compounds)	and its compounds)	
9.	Thermal Shock	2 Cycles	4 Cycles	

Colours & Designs shown are indicative only. Customers are requested to check the actual files for exact idea of colours & designs and to order the files after inspecting the same. Company reserves the right to change colours, designing, specifications, etc. without prior notice.

Product Details	Ceramic Digital Floor Tiles			
Size	40x40 (39.6x39.6)	Pallate / Container	21 Pallate	
Pcs / Box	6 Pcs	Sq.mtr / Pallate	78.96 Sq.mti	
Sq.mtr / Box	0.94 Sq.mtr	Sq.mtr / Container	1658 Sq.mtr	
Box / Pallate	84 Box	Box / Container	1764 Box	



